

New menu of the QUIK workstation 7.0.0

1. System	4
1.1 System / Connect.....	4
1.2 System / Available connections.....	5
1.3 System / Data request.....	5
1.4 System / Data request / Available securities.....	6
1.5 System / Data request / Request data for anonymous trades.....	6
1.6 System / Data request / Reorder data.....	7
1.7 System / Receiving files.....	7
1.8 System / Save windows configuration to file.....	8
1.9 System / Load windows configuration from file	8
1.10 System / Settings.....	9
1.11 System / Settings / General settings.....	9
1.12 System / Settings / Internet connection.....	10
1.13 System / Settings / Language settings.....	10
1.14 System / Settings / Hotkey editor.....	11
1.15 System / Settings / Security parameters.....	11
1.16 System / Help	12
1.17 System / About program	12
1.18 System / About program / Program version	12
1.19 System / About program / Update program version	13
1.20 System / About program / Component and plugin versions.....	13
1.21 System / Exit.....	13

New menu of the QUIK workstation 7.0.0

2. Create window.....	14
2.1 Create window / All window types... ..	16
2.2 Create window / Edit menu.....	17
3. Action.....	17
4. Dealer.....	18
4.1 Dealer / Load limits from file... ..	18
4.2 Dealer / Save limits to file.....	18
4.3 Dealer / Load limit corrections from file... ..	18
4.4 Dealer / Save limits for derivatives market to file.....	19
4.5 Dealer / Load limits for derivatives market from file.....	19
4.6 Dealer / Delete all limits for cash.....	19
4.7 Dealer / Delete all limits for securities.....	20
4.8 Dealer / Report on limits.....	20
4.9 Dealer / Client operations report.....	20
5. Plugins.....	20
6. Services	21
6.1 Services /Global filters... ..	21
6.2 Services /Cancel orders by condition.....	21
6.3 Services /Data export/import.....	22
6.3.1 Services / Data export/import / Technical analysis data... ..	23
6.3.2 Services / Data export/import/ Start DDE export from tables	23
6.3.3 Services / Data export/import/ Stop DDE export from tables	23
6.3.4 Services / Data export/import/ Start ODBC export from tables	23
6.3.5 Services / Data export/import/ ODBC export of instruments.....	24
6.3.6 Services / Data export/import/ Import transactions from file	25
6.3.7 Services / Data export/import/ External transactions.....	25
6.3.8 Services /QPILE scripts... ..	26


New menu of the QUIK workstation 7.0.0

6.3.9 Services /LUA scripts...	27
7. Windows.....	28
7.1 Windows / Dock window.....	28
7.2 Windows / Remove title	28
7.3 Windows / Always on top	28
7.4 Windows / Move window to tab	28
7.5 Windows / Hide tabs.....	29
7.6 Windows / Cascade	29
7.7 Windows / Tile horizontally	29
7.8 Windows / Tile vertically	29
7.9 Windows / Close all.....	29
7.10 Windows / Window manager	30

New menu of the QUIK workstation 7.0.0

System Create window Action Dealer Plugins Services Windows


1. System



The **System** menu contains the commands list for the terminal configuration.

1.1 System / Connect...

Opens the **User identification** dialog box to begin a QUIK server connection session.




After the connection is established, the menu name changes to **Disconnect**.


New menu of the QUIK workstation 7.0.0

1.2 System / Available connections...

Opens the **Available connections list** window.



1.3 System / Data request




Allows users to manage the settings for requesting market data from the server. It has additional commands: Available securities..., Request data for anonymous trades..., Reorder data....

New menu of the QUIK workstation 7.0.0


1.4 System / Data request / Available securities...

Opens the configuration dialog box of securities to be received from the server and their parameters.



1.5 System / Data request / Request data for anonymous trades...


Opens the settings of securities lists for receiving the information on anonymous trades.



New menu of the QUIK workstation 7.0.0

1.6 System / Data request / Reorder data...

Opens the Reorder data dialog box to clear the market data and/or the chart archives received from the server during the current session.




Contains the following parameters:

- **Trade data of the current session** – this option replaces the old **Reorder data** option and allows clearing the info.log file, the storages of orders, trades, anonymous trades and the limits.
- **Local storages** – this option replaces the old **Clear all and start a new session** option and allows clearing the dictionaries of classes, securities, parameters and all trading data. A WND file is loaded after the securities and parameters are received from the server.
- **Data archive for charts** – this option replaces the old **Reorder graphs archive** option and allows clearing the chart archive.

1.7 System / Receiving files...

Invokes the dialog box for receiving the files from the server.

New menu of the QUIK workstation 7.0.0



1.8 System / Save windows configuration to file...


The dialog box for saving a WND file containing the windows configuration.

1.9 System / Load windows configuration from file ...

The dialog box for loading a WND file containing the windows configuration.

New menu of the QUIK workstation 7.0.0


1.10 System / Settings



Allows changing the terminal settings. It has additional commands: General settings..., Internet connection..., Language settings..., Hotkey editor..., Security parameters....

1.11 System / Settings / General settings...

Opens the **Program settings** dialog box containing the terminal general settings.



New menu of the QUIK workstation 7.0.0


1.12 System / Settings / Internet connection...

Opens the **Internet connection** dialog box containing the proxy server settings.



1.13 System / Settings / Language settings...


Opens the **Regional settings** dialog box containing the language settings of the terminal interface.



New menu of the QUIK workstation 7.0.0


1.14 System / Settings / Hotkey editor...

Opens the **Hotkey combinations** dialog box containing the hotkey settings of the terminal interface.



1.15 System / Settings / Security parameters...

Opens the **Security parameters** dialog box containing the settings of possible order's price limits, the parameters of opening and closing positions and the depth of the Level II Quotes table for different instruments.




New menu of the QUIK workstation 7.0.0

1.16 System / Help

Opens the QUIK User's Manual.

1.17 System / About program



Allows receiving the information on the features of the QUIK terminal and the connection status. It contains additional commands: Program version, Update program version, Component and plugin versions, Information window....

1.18 System / About program / Program version

Invokes the startup banner containing the program version details.




New menu of the QUIK workstation 7.0.0

1.19 System / About program / Update program version

Force the check of updates for the terminal.

1.20 System / About program / Component and plugin versions...

Opens the **Component and plugin versions** dialog box containing the list of versions for terminal libraries and plugins. Each plugin can be disabled.




1.21 System / Exit

Quits the QUIK terminal.

New menu of the QUIK workstation 7.0.0

2. Create window



The **Create window** menu allows to create new windows or tables. The list of commands is set using the **Edit menu...** command.

The **Customize menu item “Create window”** dialog box contains the following commands:

- Standard:
 - Chart...;
 - Quotes...;
 - Time and Sales...;
 - Level II Quotes...;
 - Account state;
 - Orders;
 - Stop orders;
 - Trades;
 - Trader messages window;

New menu of the QUIK workstation 7.0.0

- _ Alerts window;
- Accounts and positions:
 - _ Client portfolio;
 - _ Limits and securities;
 - _ Cash limits;
 - _ Trading accounts table;
- Futures and options:
 - _ Client account limits;
 - _ Client account positions;
 - _ Options board...;
 - _ Options information...
- NDM and REPO:
 - _ Negdeal orders;
 - _ NDM Quotes;
 - _ NDM Level II Quotes ...;
 - _ Trades for execution;
 - _ Reports on trades for execution;
 - _ Information on settlement codes...
- CCP:
 - _ Asset liabilities and claims [CCP];
 - _ Interest risks parameters [CCP];
 - _ Market risks parameters [CCP];
 - _ Individual risk parameters [CCP];
- Currency:
 - _ Commitments and demands on assets [Currency];

New menu of the QUIK workstation 7.0.0

- _ Interest risk parameters [Currency];
 - _ Market risk parameters [Currency];
 - _ Individual risk parameters [Currency].
- Market-maker liabilities:
 - _ Market-maker liabilities by stock and FX markets;
 - _ Market-maker liabilities by stock and FX markets, extended;
 - _ Market-maker liabilities by derivatives market.
- Other:
 - _ Chart for bond-equivalent yield...;
 - _ Quotes history...;
 - _ Quotes changes...;
 - _ Autochartist patterns...;
 - _ Cash positions;
 - _ Current positions for securities;
 - _ Current positions for accounts...;
 - _ Information on depository accounts;
 - _ United Level II quotes...;
 - _ Transactions pocket...;
 - _ Transactions table;
 - _ Messages table;
 - _ Client transactions;
 - _ Participants information.


2.1 Create window / All window types...

Opens the Create new window dialog box containing the list of available terminal windows. This dialog box can also be opened using the button  on the toolbar of the terminal main menu.


New menu of the QUIK workstation 7.0.0

2.2 Create window / Edit menu...

Choosing the **Edit menu...** command will open the **Customize menu item "Create window"** dialog box that allows a user to specify the list of commands according to their preference.




3. Action



The **Action** menu contains the list of commands duplicating the shortcut menu of the windows. The list is formed according to the terminal window which is currently active.

New menu of the QUIK workstation 7.0.0

4. Dealer



The **Dealer** menu is intended for the broker's managers and contains the commands allowing to manage the operations with client limits.

4.1 Dealer / Load limits from file...

Loads the input values of the client's balances and limits for securities and cash from a file.


4.2 Dealer / Save limits to file...

Saves the current values of the client's balances and limits from the Cash Limits Table and Limits for Securities Table to a file.

4.3 Dealer / Load limit corrections from file...

Sets up the dynamic correction of client limits by the external program.

New menu of the QUIK workstation 7.0.0



4.4 Dealer / Save limits for derivatives market to file...

Saves current values of positions and limits from the Client Account Limits Table and the Client Account Positions Table to a file.

4.5 Dealer / Load limits for derivatives market from file...

Loads the input values of positions and limits from the Client Account Limits Table and the Client Account Positions Table from a file.

4.6 Dealer / Delete all limits for cash...

Deletes all values from the Cash Limits Table.


New menu of the QUIK workstation 7.0.0

4.7 Dealer / Delete all limits for securities...

Deletes all values from the Limits for Securities Table.

4.8 Dealer / Report on limits...


It is used to receive the report on the limits which are set for a user for a specified day.



4.9 Dealer / Client operations report...

Saves the report on clients operations to a file.


5. Plugins



The **Plugins** menu appears only if the plugins are installed in the QUIK workstation. This menu is used to configure and manage plugins.

New menu of the QUIK workstation 7.0.0


6. Services



The **Services** menu contains the commands which are not related to the terminal specific tables.

6.1 Services /Global filters...


Opens the **Global filters setup** dialog box allowing to simultaneously configure the filters in all tables of the program or some opened on the current tab.




6.2 Services /Cancel orders by condition...

Opens the **Cancel orders by condition** dialog box allowing to simultaneously cancel the active orders matching the criteria specified.

New menu of the QUIK workstation 7.0.0



6.3 Services /Data export/import




Allows to manage the settings of data export to the technical analysis systems, DDE and ODBC export and import of transactions. The menu contains the additional commands: Technical analysis

New menu of the QUIK workstation 7.0.0

data..., Start DDE export from tables, Stop DDE export from tables, Start ODBC export from tables, ODBC export of instruments, Import transactions from file, External transactions.

6.3.1 Services / Data export/import / Technical analysis data...

It is used to configure the data export to the following technical analysis systems: MetaStock, Wealth-Lab Developer, Omega TradeStation/ProSuite and AmiBroker.



6.3.2 Services / Data export/import/ Start DDE export from tables

It is used to start the DDE export from all tables for which the export settings are configured.

6.3.3 Services / Data export/import/ Stop DDE export from tables

It is used to stop the DDE export from all tables from which the data is being exported.


6.3.4 Services / Data export/import/ Start ODBC export from tables

It is used to start the ODBC export from tables for which the **Export by pressing Ctrl+Shift+O** option is enabled.

New menu of the QUIK workstation 7.0.0

6.3.5 Services / Data export/import/ ODBC export of instruments...


Exporting orders queues for instruments (DOM) through ODBC without creating Level II Quotes tables for them.



New menu of the QUIK workstation 7.0.0

6.3.6 Services / Data export/import/ Import transactions from file ...


This feature is used to automatically send transactions from a specific file to the trading system.



6.3.7 Services / Data export/import/ External transactions...


Opens the **External transactions processing** dialog box for sending transactions formed by the client's program using Trans2QUIK.dll.

New menu of the QUIK workstation 7.0.0



6.3.8 Services /QPILE scripts...


Invokes the **Scripts** dialog box allowing to load QPILE scripts.



New menu of the QUIK workstation 7.0.0


6.3.9 Services /LUA scripts...

Invokes the **Available scripts** window allowing to load the LUA scripts.



New menu of the QUIK workstation 7.0.0

7. Windows



The Windows menu contains the commands for managing the terminal windows.

7.1 Windows / Dock window

Fix the active window's size and position.

7.2 Windows / Remove title

Do not show the title bar.


7.3 Windows / Always on top

The window will be shown over the other windows.

7.4 Windows / Move window to tab

Displays the list of tabs. Select the required tab to move the window to a tab. Select the **Show in all** option to unbind the window from the current tab and show the selected window on all tabs.

New menu of the QUIK workstation 7.0.0



7.5 Windows / Hide tabs

All tabs are closed and the list of tables is merged.

7.6 Windows / Cascade

Arrange windows in order, one above the other.

7.7 Windows / Tile horizontally

Arrange windows uniformly horizontally.

7.8 Windows / Tile vertically

Arrange windows uniformly vertically.

7.9 Windows / Close all

Close all windows.

7.10 Windows / Window manager

The screenshot shows a 'Window manager' window. It features a title bar with the text 'Window manager' and a close button. Below the title bar is a toolbar with several icons: a list of windows, a refresh icon, a window icon, a red pushpin, a maximize icon, and a trash icon. To the right of the toolbar is a search bar with a magnifying glass icon. The main content area is a table with the following columns: 'Name', 'Window type', 'Tab', 'Screen', and 'External'. The first row of the table is highlighted in blue and contains the following data: '1' in the first column, 'Quotes' in the second, 'Quotes table' in the third, 'Tab 3' in the fourth, and empty cells in the fifth and sixth columns.

	Name	Window type	Tab	Screen	External
1	Quotes	Quotes table	Tab 3		